



Next Generation R Series 45 - 75 kW Oil Flooded Rotary Screw Compressors

Ingersoll Rand works to keep you ahead of your competition with Next Generation R-Series air compressors that lower total cost of ownership through high-quality components, industry-leading energy efficiency and global expertise.

Features

- **Improved Efficiency and Air Flow:** Airend features optimized rotor profile that delivers up to 16% improved efficiency and 21% greater airflow capacity
- **Remote Intelligent Control:** Xe-Series controller delivers increased control functionality through an intuitive user interface and remote access with any common, current web browser
- **Leak-free Design:** V-Shield Technology provides a totally integrated, leak-free design featuring PTFE stainless steel braided oil hoses and O-ring face seals
- **Reduced Downtime:** Progressive Adaptive Control (PAC) monitors key operating parameters and continuously adapts to prevent unexpected downtime
- **Decrease Energy Use:** NEMA Premium® efficiency motor delivers significant energy savings, and the optional variable speed drive (VSD) further decreases energy demand
- **Optional Total Air System (TAS):** Clean, dry air in a single package that minimizes installation costs, space and features improved ISO air quality



Model Specifications

Model	Max pressure (psig)	Nominal Power (hp)	Capacity (FAD)* cfm	Dimensions (L) in	Dimensions (W) in	Dimensions (H) in	Weight (Aircooled) lb	Weight (Watercooled) lb
RS45i	110	60	321	96	49	80	4059	3849
RS45i	125	60	298	96	49	80	4059	3849
RS45i	145	60	267	96	49	80	4059	3849
RS45i	200	60	210	96	49	80	4059	3849
RS55i	110	75	387	96	49	80	4268	4059
RS55i	125	75	360	96	49	80	4268	4059
RS55i	145	75	335	96	49	80	4268	4059
RS55i	200	75	266	96	49	80	4268	4059
RS75i	110	100	518	96	49	80	4325	4116
RS75i	125	100	499	96	49	80	4325	4116
RS75i	145	100	465	96	49	80	4325	4116
RS75i	200	100	384	96	49	80	4325	4116
RS45i TAS	103	60	321	96	49	80	4396	4187
RS45i TAS	118	60	298	96	49	80	4396	4187
RS45i TAS	138	60	267	96	49	80	4396	4187
RS45i TAS	193	60	210	96	49	80	4396	4187
RS55i TAS	103	75	387	96	49	80	4605	4396
RS55i TAS	118	75	360	96	49	80	4605	4396
RS55i TAS	138	75	335	96	49	80	4605	4396

RS55i TAS	193	75	266	96	49	80	4605	4396
RS75i TAS	103	100	518	96	49	80	4663	4454
RS75i TAS	118	100	499	96	49	80	4663	4454
RS75i TAS	138	100	465	96	49	80	4663	4454
RS75i TAS	193	100	384	96	49	80	4663	4454

Parts & Accessories



SimplAir Compressed Air Piping



Electronic No-Loss Drains



Ingersoll Rand (NYSE:IR) advances the quality of life by creating comfortable, sustainable and efficient environments. Our people and our family of brands—including Club Car®, Ingersoll Rand®, Thermo King® and Trane®—work together to enhance the quality and comfort of air in homes and buildings; transport and protect food and perishables; and increase industrial productivity and efficiency. We are a \$14 billion global business committed to a world of sustainable progress and enduring results. For more information, visit www.ingersollrand.com.